





Integrity ★ Service ★ Excellence

Software and Systems

05 MAR 2012

Robert J. Bonneau, Ph.D.

Program Manager

AFOSR/RSL

Air Force Research Laboratory



maintaining the data needed, and completing and reviewing the col including suggestions for reducing this burden, to Washington Hea VA 22202-4302. Respondents should be aware that notwithstandin does not display a currently valid OMB control number.	lection of information. Send comment dquarters Services, Directorate for Info	s regarding this burden estimate or primation Operations and Reports	or any other aspect of the property of the contract of the con	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 05 MAR 2012	2. REPORT TYPE		3. DATES COVE 00-00-2012	RED 2 to 00-00-2012	
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER			
Software And Systems		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)	5d. PROJECT NUMBER				
	5e. TASK NUMBER				
	5f. WORK UNIT NUMBER				
7. PERFORMING ORGANIZATION NAME(S) AND Air Force Research Laboratory, Wri	8. PERFORMING ORGANIZATION REPORT NUMBER				
9. SPONSORING/MONITORING AGENCY NAME(S		10. SPONSOR/MONITOR'S ACRONYM(S)			
			11. SPONSOR/M NUMBER(S)	ONITOR'S REPORT	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distrib	ıtion unlimited				
13. SUPPLEMENTARY NOTES Presented at the Air Force Office of 9 March, 2012	Scientific Research (A	AFOSR) Spring R	eview Arling	ton, VA 5 through	
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT b. ABSTRACT unclassified unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	20	RESPONSIBLE PERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188



2012 AFOSR SPRING REVIEW



NAME: Software and Systems

BRIEF DESCRIPTION OF PORTFOLIO:

- Enable quantifiable performance evaluation of critical software systems
- Manage software environments in order to preserve vital mission functions
- Comprehensively understand distributed effects in large software infrastructures to predict global system failures

LIST SUB-AREAS IN PORTFOLIO:

- Models for Composeable Dynamic Software
- Dynamic Formal Analysis and Verification
- Online Assessment and Repair of Failure






Unified Approach to Software



• Many current problems in software can be addressed in a more rigorous unified way by casting the software problem as a dynamic processes that can be measured and online management of software into existing and future systems





Current Program Scope



- Models for Composeable Dynamic Software
 - New programming languages or language constructs reduce errors at run-time
 - Domain-specific languages enhance capabilities for code generation
- Dynamic Formal Analysis and Verification
 - Verification of system properties based on formal specifications
- Online Assessment and Repair of Failure
 - Abstract models of systems and their interactions facilitate automated generation of code





Agency Interaction



- OSTP/NITRD Coordinating Group
 - High Confidence Systems and Software (HCSS) Member
- ASDR&E
 - Software Producibility Initiative
- Secretary of the Air Force
 - Air Force Software and systems Overview Study
- NSF
 - Cyber Physical Systems
 - Panelist and guest speaker at 2011 meeting
- NASA
 - V&V of Flight Critical Systems
 - Ames Research Laboratory
 - Human Systems Integration Division
 - Intelligent Systems Division





RODICE RESEARCH LABORATO

Other funding agencies

- Army Research Office
 - Software investment mostly directed toward information assurance
- ONR
 - Software and Computing Systems
 - Principles for Correctness and Security Properties
 - Human Robot Interaction
 - Perception and Cognitive Control
- NSF
 - Cyber Physical Systems focused on interaction with phyiscal environment and sensing systems
- DARPA: Software Producibility









- Software Models Using Adaptive Feedback and **Complexity Reduction**
- Feedback in Formal Analysis and Verification



- Adaptive repair and assessment of distributed software infrastructures
- Language-based approaches
- **Modeling Human-Machine Interaction**
- Agent-based approaches





Software Contracts

Felleisen, Northeastern




Approach: Software contracts incorporate feedback into models of online software assessment and require analysis of data type representation and meaning of data types to software performance


Payoff: Real time assessment of registers and data types in hardware software infrastructures can be performed

Contracts Create Ability To Trace Logical Errors


Trace of Logical Outcome of Mathematical Computation



Contract With Feedback



Contract + Feedback Allows Identification Of Logical Process Failure in Real Time







Scalable Model Checking



C. Tinelli U Iowa, C. Barret, NYU

Approach: Formal verification suffers from state space explosion.

Compactly represent logical symbols in scalable nested satisfiability modulo theory (SMT)


Payoff: More automated more scalable verification to handle large heterogeneous systems

Compact SMT Language

- Valid:
 - > satisfied by all states in Q
- Inductive:
 - $I(s_0) = P(s_0),$
 - $P(s_n), T(s_n, s_{n+1}) \models P(s_{n+1})$
- ▶ k-inductive:
 - $| I(s_0), T(s_0, s_1), ..., T(s_{k-1}, s_k) | = P(s_0), ..., P(s_k) ,$
 - $T(s_n, s_{n+1}), ..., T(s_{n+k}, s_{n+k+1}), P(s_n), ..., P(s_{n+k}) = P(s_{n+k+1})$
- ▶ Invariant:
 - satisfied by all reachable states of S



Improved Lower Dimensional Model







Adaptive Software Testing




Myra Cohen, U Nebraska Lincoln


Approach: Understanding how to statistically represent a software model for software testing requires accurate models of mapping what to measure to performance

Payoff: Using a principled approach that captures the right level of software and abstraction statistically enables accurate statistical representation of failure modes

Statistical Software Testing and Measurement

Failure State Space Transitions Identified









Mission Verification




Elbaum, Dwyer U. Neb., Rosenblum, U. Col. London


Approach: Develop a language to represent mission scenarios tied to integrated distributed software architecture.

Payoff: Verify global mission properties as function of lower level software constructs for quantifiable fault tolerance in achieving mission objectives

Mission Analysis Language Architecture

Fault Tolerant Mission Design









Feedback in Software Architecture




Smolka, Stony Brook, Havelund, JPL

Approach: Many software systems are introduced into environments that have uncertain conditions that result in unforeseen failures. Feedback failure correction mechanisms can augment software to adapt to failures

Payoff: Systems such as those on networks or those subject to uncertain physical environments can adapt to conditions using binary runtime repair of errors or faults based on automata theory and algebraic proofs of correctness

Robust Architecture with Feedback



Mathematical Formalism


Automata Description (feedback)

$$\operatorname{rt}(t) = \sum_{e \in O \cup \{\tau\}} \sum_{t'} \Delta_e^O(t, t').$$

Formal Logic (constraints)

$$P ::= X \mid \text{nil} \mid a_{(w)} ? t \mid b_{(r)} ! t \mid \tau_{(r)} \cdot t \mid$$

$$t_1 + t_2 \mid t_1 |_{O_1} |_{O_2} t_2 \mid t |_{O} \mid t \{a \leftarrow a'\} \mid \mu X.t$$



NASA Slated to Use Technology in Next Generation Mars Rover







Runtime Repair




S. Khurshid, UT Austin

Approach: A functional approach can be developed for real time software runtime repair using new paradigms for online verification

Payoff: Faults in software can be corrected in real time and tracked rigorously

Real Time Runtime Software Repair Architecture



Results in Corrections of Multiple Faults

Measure	Alg.	List with 10 nodes				List with 20 nodes					
		Fall to fix the size	Delete another element too	Cycle	Broken List	Duplicate an element, wrong size	Fall to fix the size	Delete another element too	Cycle	Broken List	Duplicate an element, wrong size
Time (ms)	BM	7567	7314	8675	3809	5987					
	IR	726	851	1038	911	1764	1061	9697	15784	9534	5744
	EL	614	13113	926	1160	1416	783	25581	18622	8852	4325
	GL	598	1060	870	1031	1136	807	14265	21180	13147	3522
Edit distance	BM	38	33	38	33	34					
	IR	2	12	15	14	19	2	29	31	28	39
	EL	2	13	15	12	19	2	26	30	29	40
	GL	2	15	15	14	22	2	30	30	29	40





Automated Model Revision




Kulkarni, Mich State


Approach: Verification tends to use approaches that are fixed based on the notion of pre-existing code and logical structures. In order to adapt to unanticipated conditions it is necessary to be able to revise models if conditions change.

Payoff: In dynamic heterogeneous systems, it is necessary to update the verification of the system as it evolves

Adaptive Verification



Adaptive Verification Space



<u>Question</u>: Is it possible to <u>revise</u> the model automatically such that it satisfies the failed property while preserving the other proper




AFRL Tech Directorate Interest/Coordination



- Information Directorate
 - Systems and Software Producibility
 - Multi-core Computing
- Air Vehicles
 - Flight-critical systems and software
 - Mixed-criticality architectures
- Human Effectiveness
 - Modeling of human-machine systems
 - Meta-information portrayal STTR
- Robust Decision Making STT
 - Large Scale Cognitive Modeling/C2WT









Increased Scale/Integration via DSMLs Anchored in DEVS (Douglass, 711th HPW/RH)

DEVS (discrete event system specification)

- Formal rigor
- Model reusability
- Interoperability

A discrete event system specification (DEVS) is a mathematical structure (7-tuple)

$$M=$$

where

X is the set of input values


S is a set of states

 $\frac{Y}{2}$ is the set of output values

 $\delta_{\text{int}}: S \to S$ is the internal transition function $\delta_{\text{ext}}: Q \times X \to S$ is the external transition function

 $\lambda: S \to Y$ is the output function

 $ta: S \to R_{0,\infty}$ is the time advance function



Domain-Specific Languages

- Tailored for cognitive modeling
- · Semantically anchored in DEVS



High-Performance Computing

- Scalable simulation infrastructure
- Exploiting 25 years of DE\






SPRUCE

Drager/RI



Approach: Use parallel processing resources and network infrastructure as means of emulating and detecting system faults in new software deployment Payoff: Deployment of new software tools has far fewer defects and more detailed assessment of integrated system performance







Software Collaborations at AFOSR



Information Operations and Security

Fundamental software constructs for software and system security

Information Fusion

Signal and sensor processing for integration of large data into systems architectures

Complex Networks

Mathematical and statistical methods for network and networked systems

Foundations of Information Systems

Measurement and statistical verification for software, network, and hardware

Computational Mathematics

Methods of computational modeling of large complex physical processes

Dynamic Data Driven Applications Systems

Strategies for real time feedback of data into distributed computational processes

Optimization and Discrete Mathematics

Optimization strategies and algorithms for discrete computational processes

Dynamics and Control

Dynamical systems theory for assessment of performance of control architectures





Transitions



- Smolka/Havelund (Stony Brook/JPL)
 - JPL Mars Science Laboratory using rule-based specification language to ensure correct execution of software on next Mars Rover
- Harmonia STTR with AFRL/RI
 - using a modified version of Hadoop data analysis API for distributed parallel load balancing and computation over cloud architectures
- Tinelli/Barrett (Iowa/NYU)
 - Rockwell-Collins interested in transitioning SMT-based verifier research into formal methods toolkits for avionics systems
- Durfee (Univ of Michigan)
 - Collaboration on SBIR with Intelligent Automation Inc., applying hybrid scheduling techniques to large-scale human expert teaming problems involving dozens of teams, hundreds of experts, and thousands of constraints.

